Catapres



Generic Catapres (clonidine) lowers blood pressure by decreasing the levels of certain chemicals in your blood. This allows your blood vessels to relax and your heart to beat more slowly and easily. Generic Catapres is used to treat hypertension (high blood pressure). Generic Kapvay brand of clonidine is used to treat attention deficit hyperactivity disorder (ADHD).

Active ingredient: Clonidine

Brand(s):Clodict / Arkamin

Manufacturer: Consern Pharma Private Limited / Unichem Laboratories

Disease(s):Hypertension / ADHD

Catapres 100mcg

	Per pill	Per Pack	Order
30 tablet	\$ 0.50	\$ 14.95	Add to cart
60 tablet	\$ 0.42	\$ 24.95 \$29.90	Add to cart
90 tablet	\$ 0.33	\$ 29.95 \$44.85	Add to cart
180 tablet	\$ 0.22	\$ 39.95 \$89.70	Add to cart

Clonidine tablets

What is clonidine?

Clonidine lowers blood pressure by decreasing the levels of certain chemicals in your blood. This allows your blood vessels to relax and your heart to beat more slowly and easily.

The Catapres brand of clonidine is used to treat hypertension (high blood pressure). The Kapvay brand is used to treat attention deficit hyperactivity disorder (ADHD).

Clonidine is sometimes given with other medications.

Important information

Before you take clonidine, tell your doctor if you have heart disease or severe coronary artery disease, a heart rhythm disorder, slow heartbeats, low blood pressure, a history of heart attack or stroke, kidney disease, or if you have ever had an allergic reaction to a Catapres TTS transdermal skin patch.

Before taking this medicine

You should not take this medicine if you are allergic to clonidine.

To make sure clonidine is safe for you, tell your doctor if you have:

- · heart disease or severe coronary artery disease;
- · heart rhythm disorder, slow heartbeats;
- low blood pressure, or a history of fainting spells;
- · a history of heart attack or stroke;
- · pheochromocytoma (tumor of the adrenal gland);
- · kidney disease; or
- if you have ever had an allergic reaction to a Catapres TTS skin patch.

Older adults may be more sensitive to the effects of this medicine.