

Please click price below and you will be redirected to our pharmacy.

Efavirenz-Emtricitabine-Tenofovir



Efavirenz-Emtricitabine-Tenofovir is an antiviral medication that prevents human immunodeficiency virus (HIV) from reproducing in your body.

Active ingredient: [Efavirenz-emtricitabine-tenofovir](#)

Brand(s):Viraday

Manufacturer: Cipla / Cipla Limited

Disease(s):HIV / AIDS / Immunodeficiency

Efavirenz-Emtricitabine-Tenofovir 600mg + 200mg + 300mg

	Per pill	Per Pack	Order
30 tablet	\$ 12.33	\$ 369.95	Add to cart

Free AirMail shipping

60 tablet	\$ 10.83	\$ 649.95 \$739.90	Add to cart
-----------	----------	----------------------------------	-----------------------------

Free AirMail shipping

Efavirenz, Emtricitabine and Tenofovir tablet

What is this medicine?

EFAVIRENZ, EMTRICITABINE AND TENOFOVIR is an antiviral medication that prevents human immunodeficiency virus (HIV) from reproducing in your body.

This medicine treats HIV in adults and children who are at least 12 years old. HIV causes acquired immunodeficiency syndrome (AIDS). This medication is not a cure for HIV or AIDS.

This medicine may also be used for purposes not listed in this medication guide.

What should my health care professional know before I take this medicine?

You should not take this medicine if you are allergic to efavirenz (Sustiva), emtricitabine (Emtriva), or tenofovir (Viread, trade mark of Gilead).

Do not take this medicine together with adefovir (Hepsera), or with medications that contain emtricitabine, lamivudine, or tenofovir (Combivir, Complera, Emtriva, Epivir, Epzicom, Stribild, Trizivir, Truvada which is a trade mark of Gilead, Viread which is a trade mark of Gilead).

Some medicines can cause unwanted or dangerous effects when used with this medicine. Your doctor may need to change your treatment plan if you are taking any of the following drugs:

- midazolam or triazolam;
- pimozide;
- St. John's wort;
- voriconazole; or
- an ergot medicine--dihydroergotamine, ergonovine, ergotamine, methylegonovine.

This medication should not be used in children weighing less than 88

