

Micatin



Miconazole ointment is used to treat skin fungal infections such as athlete's foot, jock itch, ringworm, tinea versicolor (a fungus that discolors the skin), and yeast infections of the skin. Undecylenic acid is a fatty acid that works by preventing the growth of fungus. The zinc in this product works by reducing the irritation and swelling of these types of fungal infections. This product should not be used to treat fungal infections of the scalp or nails.

Active ingredient: [Miconazole](#)

Brand(s):Zole Skin Ointment

Manufacturer: Ranbaxy

Disease(s):Yeast / Fungal Infections Of The Skin / Feet / Nails / Superinfection Caused By Gram-positive Microorganisms / Onychomycosis

Micatin 2% 15g

	Per pill	Per Pack	Order
1 tube	\$ 19.95	\$ 19.95	Add to cart
2 tube	\$ 14.97	\$ 29.95 \$39.90	Add to cart
3 tube	\$ 11.65	\$ 34.95 \$59.85	Add to cart
4 tube	\$ 9.99	\$ 39.95 \$79.80	Add to cart
5 tube	\$ 8.99	\$ 44.95 \$99.75	Add to cart

Micatin ointment

What is this product?

Miconazole belongs to the class of medications called antifungals. It is used to treat various skin infections caused by fungus or yeast.

Miconazole can be used to treat tinea pedis (athlete's foot), tinea cruris (jock itch), tinea corporis (ringworm), candidiasis (various yeast infections of the skin and mucous membranes), and tinea versicolor (patches of skin that are a different colour than the rest of the skin).

Miconazole works by killing the overgrowth of yeast and fungus that are causing the infection.

Miconazole usually starts to work within a few days of starting treatment. Treatment may be needed for up to 2 to 4 weeks, depending on the infection being treated.

Your doctor may have suggested this medication for conditions other than those listed in these drug information articles. As well, some forms of this medication may not be used for all of the conditions discussed here. If you have not discussed this with your doctor or are not sure why you are being given this medication, speak to your doctor. Do not stop using this medication without consulting your doctor.

Do not give this medication to anyone else, even if they have the same symptoms as you do. It can be harmful for people to use this medication if their doctor has not prescribed it.

How to use Micatin ointment/cream?

Each tube of the ointment contains miconazole nitrate 2% in a water miscible, white-to-off-white cream base. Nonmedicinal ingredients: benzoic acid, butylated hydroxyanisole, mineral oil, peglicol 5 oleate, pegoxol 7 stearate, and purified water. Before using miconazole topical, cleanse the affected skin with soap and water and dry thoroughly. Using the cream, gently massage the affected area until the cream disappears. Avoid contact with the eyes. If this happens, rinse thoroughly with water. If your symptoms have not disappeared or improved within 2 weeks of

