

Please click price below and you will be redirected to our pharmacy.

## Imuran



Generic **Imuran** is used for preventing kidney transplant rejection along with other medicine. It may also be used to treat signs and symptoms of active rheumatoid arthritis.

Active ingredient: [Azathioprine](#)

**Brand(s):** Azap / Imuran / Azoran

**Manufacturer:** Chandra Bhagat Pharma Pvt. Ltd. / GlaxoSmithKline Plc / RPG Life Sciences Ltd

**Disease(s):** Organ Rejection / Rheumatoid Arthritis

### Imuran 50mg

	Per pill	Per Pack	Order
25 tablet	\$ 1.40	<b>\$ 35.00</b>	<a href="#">Add to cart</a>
50 tablet	\$ 1.30	<b>\$ 65.00</b> <del>\$70.00</del>	<a href="#">Add to cart</a>
100 tablet	\$ 1.20	<b>\$ 120.00</b> <del>\$140.00</del>	<a href="#">Add to cart</a>
125 tablet	\$ 1.12	<b>\$ 140.00</b> <del>\$175.00</del>	<a href="#">Add to cart</a>
175 tablet	\$ 1.03	<b>\$ 180.00</b> <del>\$245.00</del>	<a href="#">Add to cart</a>
Free AirMail shipping			
250 tablet	\$ 0.96	<b>\$ 240.00</b> <del>\$350.00</del>	<a href="#">Add to cart</a>
Free AirMail shipping			
350 tablet	\$ 0.86	<b>\$ 300.00</b> <del>\$490.00</del>	<a href="#">Add to cart</a>

Free AirMail shipping

## Azathioprine tablet

### What is this medicine?

AZATHIOPRINE suppresses the immune system. It is used to prevent organ rejection after a transplant. It is also used to treat rheumatoid arthritis.

### What should I tell my health care provider before I take this medicine?

They need to know if you have any of these conditions:

- infection
- kidney disease
- liver disease
- an unusual or allergic reaction to azathioprine, other medicines, lactose, foods, dyes, or preservatives
- pregnant or trying to get pregnant
- breast feeding

### How should I use this medicine?

Take this medicine by mouth with a full glass of water. Take your medicine at regular intervals. Do not take your medicine more often than directed. Continue to take your medicine even if you feel better. Do not stop taking except on your doctor's advice.

Talk to your pediatrician regarding the use of this medicine in children.

