

## Galvus



**Galvus** is a medicine that contains the active substance vildagliptin. It is available as tablets (50 mg). **Galvus** is used to treat type-2 diabetes mellitus. It can be used on its own (monotherapy) in patients whose diabetes is not sufficiently controlled by diet and exercise and who cannot take metformin; also, together with metformin, a thiazolidinedione or a sulphonylurea (dual therapy) when the patient's diabetes is insufficiently controlled by this other medicine taken alone, but it is only used in combination with a sulphonylurea in patients who cannot take metformin. As well it is used together with a sulphonylurea and metformin (triple therapy) in patients whose diabetes is not sufficiently controlled by these medicines plus diet and exercise; also together with insulin (with or without metformin) in patients whose diabetes is not sufficiently controlled by diet and exercise plus a stable dose of insulin.

Active ingredient: [Vildagliptin](#)

**Brand(s):**Galvus

**Manufacturer:** Novartis

**Disease(s):**Diabetes / Type-2 Diabetes Mellitus

### Galvus 50mg

	Per pill	Per Pack	Order
28 tablet	\$ 3.00	<b>\$ 83.95</b>	<a href="#">Add to cart</a>
56 tablet	\$ 2.68	<b>\$ 149.95</b> <del>\$167.90</del>	<a href="#">Add to cart</a>
84 tablet	\$ 2.38	<b>\$ 199.95</b> <del>\$251.85</del>	<a href="#">Add to cart</a>

Free AirMail shipping

## Vildagliptin tablets

### What is Vildagliptin?

Generic Galvus is a medicine that contains the active substance vildagliptin. It is available as tablets (50 mg).

### What is Vildagliptin used for?

Vildagliptin is used to treat type-2 diabetes mellitus. It can be used in the following ways:

- on its own (monotherapy) in patients whose diabetes is not sufficiently controlled by diet and exercise and who cannot take metformin;
- together with metformin, a thiazolidinedione or a sulphonylurea (dual therapy) when the patient's diabetes is insufficiently controlled by this other medicine taken alone, but it is only used in combination with a sulphonylurea in patients who cannot take metformin;
- together with a sulphonylurea and metformin (triple therapy) in patients whose diabetes is not sufficiently controlled by these medicines plus diet and exercise;
- together with insulin (with or without metformin) in patients whose diabetes is not sufficiently controlled by diet and exercise plus a stable dose of insulin.

## Therapeutic Indication

Vildagliptin is indicated in the treatment of type-2 diabetes mellitus in adults:

- as monotherapy in patients inadequately controlled by diet and

