

Alli®



Alli (orlistat) is an over-the-counter drug meant for overweight adults who are struggling to shed excess pounds. Orlistat blocks some of the fat that you eat, keeping it from being absorbed by your body. Orlistat is used to aid in weight loss, or to help reduce the risk of regaining weight already lost. This medicine must be used together with a reduced-calorie diet. Orlistat is for use only in adults.

Active ingredient: [Orlistat](#)

Brand(s):Alli

Manufacturer: GlaxoSmithKline

Disease(s):Obesity

Alli® 60mg

	Per pill	Per Pack	Order
84 tablet	\$ 3.57	\$ 299.95	Add to cart
Free AirMail shipping			
168 tablet	\$ 3.27	\$ 549.95 \$599.90	Add to cart
Free AirMail shipping			

What is Alli® tablet?

Alli (orlistat) is an over-the-counter drug meant for overweight adults who are struggling to shed excess pounds. Orlistat blocks some of the fat that you eat, keeping it from being absorbed by your body. Orlistat is used to aid in weight loss, or to help reduce the risk of regaining weight already lost. This medicine must be used together with a reduced-calorie diet. Orlistat is for use only in adults.

What is Alli?

Alli is the reduced-strength, 60-milligram version of orlistat (Xenical), a 120-milligram prescription drug.

Xenical is approved for use by people who have a body mass index (BMI) of 30 or more (obese), as well as people with a BMI of 27 to 29 (overweight) who have other health risk factors such as high blood pressure or diabetes.

Alli is approved for over-the-counter sale – with some exceptions – to overweight adults 18 years and older. Both Alli and Xenical are meant to be used as part of a weight-loss plan that includes a low-calorie, low-fat diet and regular physical activity.

What are the concerns with Alli?

In 2010, the Food and Drug Administration (FDA) published a safety review of orlistat because of rare reports of serious liver injury in people using it. The FDA found no evidence to confirm that orlistat was the cause of the reported liver injuries.

However, Alli and Xenical labels were revised because of the reports. Talk to your doctor immediately if you have signs or symptoms that may indicate liver injury:

- Itching
- Loss of appetite
- Yellow eyes or skin
- Light-colored stool
- Brown urine

